

**AMENDMENTS TO THE CLAIMS:**

1. (Previously presented) An isolated and purified polynucleotide encoding an archaeal replication factor A ("RFA"), wherein the polynucleotide is selected from the group consisting of: a polynucleotide comprising the nucleotide sequence set forth in Figure 16 (SEQ ID NO: 65); and a polynucleotide encoding an amino acid sequence comprising the amino acid sequence set forth in Figure 17 (SEQ ID NO: 66).
2. (Original) The polynucleotide of claim 1, wherein the polynucleotide is cDNA.
3. (Original) The polynucleotide of claim 1, wherein the polynucleotide is mRNA.
- 4-6. (Canceled)
7. (Original) A vector comprising the polynucleotide of claim 1.
8. (Original) The vector of claim 7, wherein the vector is a plasmid.
9. (Original) The vector of claim 7, wherein the vector is a bacteriophage.
10. (Original) The vector of claim 7, wherein the vector is a retrovirus.
11. (Original) The vector of claim 7, wherein the vector is an adenovirus.
12. (Currently amended) [[A]] An isolated host cell comprising the vector of claim 7.
13. (Currently amended) The isolated host cell of claim 12, wherein the isolated host cell is a prokaryotic cell.
14. (Currently amended) The isolated host cell of claim 12, wherein the isolated host cell is a eukaryotic cell.
- 15-22. (Canceled)
23. (Original) A method for producing replication accessory factors comprising: expressing the polynucleotide of the vector of claim 7 in a host cell; and purifying the expressed product.

24. (Original) The method of claim 23, wherein the host cell is a prokaryotic cell.
25. (Original) The method of claim 23, wherein the host cell is a eukaryotic cell.
- 26-56. (Canceled)
57. (Previously presented) An isolated and purified polynucleotide encoding an archaeal replication factor A ("RFA") comprising: (a) a polynucleotide comprising the nucleotide sequence set forth in Figure 16 (SEQ ID NO: 65) or the nucleotide sequence of Figure 16 starting with nucleotide 7; (b) a polynucleotide encoding an amino acid sequence comprising the amino acid sequence set forth in Figure 17 (SEQ ID NO: 66) or the amino acid sequence of Figure 17 starting with amino acid 3; or (c) a polynucleotide encoding an amino acid sequence possessing 95% identity to SEQ ID NO: 66.
58. (Original) The polynucleotide of claim 57, wherein the polynucleotide is cDNA.
59. (Original) The polynucleotide of claim 57, wherein the polynucleotide is mRNA.
- 60-74. (Canceled)